

NOTE:

1. ELECTRICAL TEST:

- (1). 100% OPEN SHORT, MISS WIRE TEST
- (2). INSULATION RESISTANCE:DC 300V 10MΩ ;
- (3). CONDUCTOR RESISTANCE:3Ω Max (More than 3m, add one ohm per meter) ;

2. FLUKE TEST PASS

TEST LIMIT:ISO 11801 CHANNEL CLASS E


3. PRINTING:xxxx CAT6 U/UTP 4x2x26AWG/7 LSZH ISO11801 & EN50173 & ANSI/TIA568C.2

xxxx (xxxx: order No (change with order))

4. ROHS2.0 AND REACH COMPLIANT

MATERIAL LIST

⑥	PACKING	PE BAG	1	
⑤	LABEL	NO DRY GLUE LABEL	2	
④	MINI TIE	PE MINI TIE (POSSESS METAL)	1	
③	OVER MOLD	75A PVC	2	
②	CONNECTOR	RJ45 8P8C Unshielded Plug, Pin Gold Plated 3U", Transparence RED	2	
①	CABLE	U/UTP CAT.6 AWG26 BC*1P*4+CROSS+JACKET:LSZH OD:5.8±0.2mm	1	



NO.	PARTS NAME	SPECIFICATION STANDARD	QT' Y	REMARK				WG	ITEM NO.	SEE THE CHART
								CAT.6 U/UTP PATCH CORD LSZH		
		NEW		2018-09-12	A	DRAWN BY	CHECK BY	APPO BY	DATE	
BY	CHK	REVISION RECORD MODIFICATION		DATE	REV.				2018-09-12	

COLOR:BLACK PANTONE BLACK 3C		
ITEM	LENGTH	EAN CODE
DC-60-002	250±10mm	8719956622625
DC-60-005	500±15mm	8719956622724
DC-60-010	1000±30mm	8719956622823
DC-60-015	1500±30mm	8719956622922
DC-60-020	2000±30mm	8719956623028
DC-60-030	3000±50mm	8719956623127
DC-60-050	5000±200mm	8719956623226
DC-60-075	7500±200mm	8719956623325
DC-60-100	10000±200mm	8719956623424
DC-60-150	15000±300mm	8719956623523
DC-60-200	20000±300mm	8719956623622
DC-60-300	30000±500mm	8719956623721
DC-60-500	50000±500mm	8719956623820


COLOR:GREYRAL 7035		
ITEM	LENGTH	EAN CODE
DC-61-002	250±10mm	8719956622618
DC-61-005	500±15mm	8719956622717
DC-61-010	1000±30mm	8719956622816
DC-61-015	1500±30mm	8719956622915
DC-61-020	2000±30mm	8719956623011
DC-61-030	3000±50mm	8719956623110
DC-61-050	5000±200mm	8719956623219
DC-61-075	7500±200mm	8719956623318
DC-61-100	10000±200mm	8719956623417
DC-61-150	15000±300mm	8719956623516
DC-61-200	20000±300mm	8719956623615
DC-61-300	30000±500mm	8719956623714
DC-61-500	50000±500mm	8719956623813

COLOR:WHITE		
ITEM	LENGTH	EAN CODE
DC-62-002	250±10mm	8719956622601
DC-62-005	500±15mm	8719956622700
DC-62-010	1000±30mm	8719956622809
DC-62-015	1500±30mm	8719956622908
DC-62-020	2000±30mm	8719956623004
DC-62-030	3000±50mm	8719956623103
DC-62-050	5000±200mm	8719956623202
DC-62-075	7500±200mm	8719956623301
DC-62-100	10000±200mm	8719956623400
DC-62-150	15000±300mm	8719956623509
DC-62-200	20000±300mm	8719956623608
DC-62-300	30000±500mm	8719956623707
DC-62-500	50000±500mm	8719956623806

COLOR:GREEN PANTONE 3278C		
ITEM	LENGTH	EAN CODE
DC-63-002	250±10mm	8719956622649
DC-63-005	500±15mm	8719956622748
DC-63-010	1000±30mm	8719956622847
DC-63-015	1500±30mm	8719956622946
DC-63-020	2000±30mm	8719956623042
DC-63-030	3000±50mm	8719956623141
DC-63-050	5000±200mm	8719956623240
DC-63-075	7500±200mm	8719956623349
DC-63-100	10000±200mm	8719956623448
DC-63-150	15000±300mm	8719956623547
DC-63-200	20000±300mm	8719956623646
DC-63-300	30000±500mm	8719956623745
DC-63-500	50000±500mm	8719956623844

COLOR:BLUE PANTONE 285C		
ITEM	LENGTH	EAN CODE
DC-64-002	250±10mm	8719956622656
DC-64-005	500±15mm	8719956622755
DC-64-010	1000±30mm	8719956622854
DC-64-015	1500±30mm	8719956622953
DC-64-020	2000±30mm	8719956623059
DC-64-030	3000±50mm	8719956623158
DC-64-050	5000±200mm	8719956623257
DC-64-075	7500±200mm	8719956623356
DC-64-100	10000±200mm	8719956623455
DC-64-150	15000±300mm	8719956623554
DC-64-200	20000±300mm	8719956623653
DC-64-300	30000±500mm	8719956623752
DC-64-500	50000±500mm	8719956623851

PACKING:



L ≤ 5M: 1pcs/PE Bag+label 1, 10pcs/pe bag+label 2
 L > 5M: 1pcs/PE Bag+label 1

						WG		ITEM NO.		SEE THE CHART	
						PRODUCT NAME		CAT. 6 U/UTP PATCH CORD		UNIT MM	
		NEW		2018-09-12		A		DRAWNBY		CHECKBY	
								APPOBY		DATE	
BY		CHK		REVISION RECORD MODIFICATIONS		DATE		REV.		2018-09-12	

COLOR:RED PANTONE 199C		
ITEM	LENGTH	EAN CODE
DC-65-002	250±10mm	8719956622632
DC-65-005	500±15mm	8719956622731
DC-65-010	1000±30mm	8719956622830
DC-65-015	1500±30mm	8719956622939
DC-65-020	2000±30mm	8719956623035
DC-65-030	3000±50mm	8719956623134
DC-65-050	5000±200mm	8719956623233
DC-65-075	7500±200mm	8719956623332
DC-65-100	10000±200mm	8719956623431
DC-65-150	15000±300mm	8719956623530
DC-65-200	20000±300mm	8719956623639
DC-65-300	30000±500mm	8719956623738
DC-65-500	50000±500mm	8719956623837

COLOR:ORANGE PANTONE 021 C		
ITEM	LENGTH	EAN CODE
DC-66-002	250±10mm	8719956622670
DC-66-005	500±15mm	8719956622779
DC-66-010	1000±30mm	8719956622878
DC-66-015	1500±30mm	8719956622977
DC-66-020	2000±30mm	8719956623073
DC-66-030	3000±50mm	8719956623172
DC-66-050	5000±200mm	8719956623271
DC-66-075	7500±200mm	8719956623370
DC-66-100	10000±200mm	8719956623479
DC-66-150	15000±300mm	8719956623578
DC-66-200	20000±300mm	8719956623677
DC-66-300	30000±500mm	8719956623776
DC-66-500	50000±500mm	8719956623875

COLOR:YELLOW PANTONE 122C		
ITEM	LENGTH	EAN CODE
DC-67-002	250±10mm	8719956622668
DC-67-005	500±15mm	8719956622762
DC-67-010	1000±30mm	8719956622861
DC-67-015	1500±30mm	8719956622960
DC-67-020	2000±30mm	8719956623066
DC-67-030	3000±50mm	8719956623165
DC-67-050	5000±200mm	8719956623264
DC-67-075	7500±200mm	8719956623363
DC-67-100	10000±200mm	8719956623462
DC-67-150	15000±300mm	8719956623561
DC-67-200	20000±300mm	8719956623660
DC-67-300	30000±500mm	8719956623769
DC-67-500	50000±500mm	8719956623868

COLOR:VOLET PANTONE 2725C		
ITEM	LENGTH	EAN CODE
DC-68-002	250±10mm	8719956622694
DC-68-005	500±15mm	8719956622793
DC-68-010	1000±30mm	8719956622892
DC-68-015	1500±30mm	8719956622991
DC-68-020	2000±30mm	8719956623097
DC-68-030	3000±50mm	8719956623196
DC-68-050	5000±200mm	8719956623295
DC-68-075	7500±200mm	8719956623394
DC-68-100	10000±200mm	8719956623493
DC-68-150	15000±300mm	8719956623592
DC-68-200	20000±300mm	8719956623691
DC-68-300	30000±500mm	8719956623790
DC-68-500	50000±500mm	8719956623899

COLOR:PINK PANTONE 212C		
ITEM	LENGTH	EAN CODE
DC-69-002	250±10mm	8719956622687
DC-69-005	500±15mm	8719956622786
DC-69-010	1000±30mm	8719956622885
DC-69-015	1500±30mm	8719956622984
DC-69-020	2000±30mm	8719956623080
DC-69-030	3000±50mm	8719956623189
DC-69-050	5000±200mm	8719956623288
DC-69-075	7500±200mm	8719956623387
DC-69-100	10000±200mm	8719956623486
DC-69-150	15000±300mm	8719956623585
DC-69-200	20000±300mm	8719956623684
DC-69-300	30000±500mm	8719956623783
DC-69-500	50000±500mm	8719956623882

Master mark



Side mark

PO. NO:
 Item no:
 Q' TY:
 N. W:
 G. W
 Dimension:
 Carton No. :
 EAN CODE:

						WG		SEE THE CHART	
						PRODUCT NAME		CAT. 6 U/UTP PATCH CORD	
NEW						2018-09-12		A	
BY						CHK		REVISION RECORD MODIFICATIONS	
						DATE		REV.	
						ARVIN		2018-09-12	
						DRAWNBY		CHECKBY	
						APPOBY		DATE	